# **Converting Shapefile Data to GeoJSON**

### **Objectives:**

- To be able to understand the definition of GeoJSON data
- · To be able to convert shapefile to GeoJSON with QGIS
- To be able to download GeoJSON from Overpass Turbo
- · To be able to convert shapefile to GeoJSON using GeoData Converter

If you do not have an educational background in geography or you are not too familiar with Geographic Information Systems (GIS), then this GeoJSON format may sound familiar to you. However, you do not need to worry about that because getting spatial data with GeoJSON format is not as difficult as you think. GeoJSON can be obtained by changing or converting from spatial data that you already have such as shapefiles, keyhole markup language (.kml) or GPS results, .gpx. In this module you will learn the definition of GeoJSON data and several tools that can help you to convert spatial data especially shapefiles into GeoJSON format.

#### I. The definition of GeoJSON data

GeoJSON, which is a modification of Java Script Object Notation (JSON), is a simple spatial data format. Unlike other spatial formats such as shapefiles, GeoJSON displays spatial shapes of data with a smaller size but still carries attribute information from the data.

GeoJSON can be a point (point), line (line), area (polygon) which can represent an object on the surface of the earth. Because of its simple nature and is a modification of a program language, GeoJSON is more often used for web-based Geographic Information Systems (GIS) processing or sites that use GIS to visualize spatial data such as Mapboxes, Leaflets, OpenLayer and even some sites provided by the Humanitarian OpenStreetMap Team (HOT) such as HOT Export, Tasking Manager and Map Campaigner.

#### II. Converting shapefile to GeoJSON using QGIS

By using QGIS, you can convert shapefile data from both OpenStreetMap (OSM) data and your own spatial data that you have previously had. However, before converting shapefile data you need to download QGIS software on your laptop or computer. You can see the guidelines to download QGIS in **Creating Field Maps using QGIS** module. If you have successfully installed QGIS, please follow the steps below:

• Open QGIS and select Add Vector Layer to add your shapefile data to QGIS.

QGIS     Project	2.14.22-Ess Edit View	Layer Set	tings Plugin	s Vector F > 🗩 🗩	Raster Databa	se Web Pro	ocessing He	n (@, + [ 8 @, ¶	E] • &] • <mark>-</mark> ,	「「「「「「「「」」、「「」」、「「」、「」、「」、「」、「」、「」、「」、「」
	ayers Panel	er and	đ X	Mer (sha	ambahka pfile) ke d	n Data Ve alam QG	<u>ktor</u> IS			

Adding shapefile data into QGIS

• Then find and open the shapefile data that you want to convert to GeoJSON in QGIS by clicking Browse → Open.



The display of shapefile data in QGIS

• Right-click on the shapefile data layer then select Save As...

	: < ≝ ≣ <mark>, -                                 </mark>
	× · · · · · · · · · · · · · · · · · · ·
Batas Kota Semaran     Ratas Kota Semaran     Ratas Kota Semaran	<ul> <li>Zoom to Layer Show in Overview</li> <li>Remove</li> <li>Duplicate Set Layer Scale Visibility Set Layer CRS Set Project CRS from Layer Styles</li> </ul>
	Open Attribute Table     Image Editing       Save As     Save As       Save As Layer Definition File     Filter       Filter     Show Feature Count       InaSAFE     Image Instance
	Properties Rename

Option for shapefile data conversion

- You should see a window and make sure you set it as the picture below:
- [The conversion settings from shapefile to GeoJSON](en/images/06-OSM-Field-Survey-Manager-Guidelines/10-Konversi-Data-Shapefile-ke-GeoJSON/1004\_pengaturan\_geojson\_di\_qgis.png()( The conversion settings from shapefile to GeoJSON
- Format: Choose GeoJSON format
- Save as: The place in your directory to save GeoJSON data
- CRS : Coordinate reference for GeoJSON data result
- Add saved file to map: Adding GeoJSON data into QGIS after conversion process finished.
- After that, then click **OK** and you have successfully converted GeoJSON data that will appear in QGIS.



The display of GeoJSON conversion result in QGIS

#### III. Downloading GeoJSON Data using Overpass Turbo

If you do not want or can not install QGIS on your laptop / computer but still need to convert data formats to GeoJSON from OpenStreetMap data, Overpass Turbo can be a solution. Overpass Turbo is a website created by OpenStreetMap contributors which allows users to get several spatial data formats from OpenStreetMap including GeoJSON. Please follow the steps below to get GeoJSON from Overpass Turbo website:

• Please open your internet browser then go to the link URL https://overpass-turbo.eu/



Overpass Turbo site

 After that, please find the area that you want to download by typing the name of the area in the search box or you can also adjust the map display by zooming in and out the map using '+' and '-' buttons.

÷	C	https://doi.org/10.1016/j.jpi.2016/10.1016	//overpass-	turbo.eu									
Run	Share	Export	Wizard	Save	Load	Settings	Help	overp	ass tu	rbo 😡			
1 //T	tis is an ey it out ou can fi dde [amenity ({{bbox} ut;	<pre>example by press nd more ( r=drinking });</pre>	Overpass o sing the Ro examples w: 3_water]	query. un butto ith the	n above! Load too	+	semara Semara Semara Semara Semara Semara Suti Se JI. Sem Jalan S W Podorejo	d ang, Bengku ang, Java, In ang, Bengku ang, Java, In ang St., Java emarang, So ang Jaya, La marang, North temarang, Ja onosari Sondoriyo B Wates Pesantrer	Iu, Indonesia donesia lu, Indonesia donesia a, Indonesia outh Sumatri impung, Indonesia st Kalimant n Sumatra, ava, Indone Tambakaji ringin Ng, Kedungpar	ia ia a ra, Indonesia donesia tan, Indonesia Indonesia esia Purwoyoso aliyan Bambankerep ne Sadeng	a ia o alibanteng kidul Manyaran Benda Sukorejo	Tanjungmas anggung Rejonuly Kidu Perdinkan Kidu Perdinkan Kidu Duwur Semarang Lempongsari Duwur Saranganga I Duwur Saranganga Jan	Give and a

Area search option in Overpass Turbo

• After you found the area, then please select the **Wizard** menu at the top of the Overpass Turbo site.

				1				
Run	Share	Export	Wizard	Save	Load	Settings	Help	overpass turbo 🛛
1 /*						+	semaran	g P

Wizard menu wizard in Overpass Turbo site

After that, type the query about the data that you want to get. The query is a tag that has a key and value based on the OpenStreetMap standard. If you do not already know about tags, keys and values, you should refer to OpenStreetMap Data Model module. For example, you want to take the administrative boundary of Semarang city so you can write "admin\_level = 5 and name = Semarang" in the Query Wizard and click build and run query.



#### Query Wizard in Overpass Turbo site

## • After that, query result will appear in Overpass Turbo.



Query wizard result of Semarang administrative boundary

• After the query result appear, click **Export** in Overpass Turbo menu then click **download/copy as GeoJSON**.

Share Export Wizard Save Load S	ettings Help OVErpass	turbo Θ	
<pre>* * his has been generated by the overpass-turbo izard. he original search was: admin_level=5 and name=Semarang" / out:json][timeout:25]; / gather results // query part for: "admin_level=5 and name=Semarang" node["admin_level"="5"]["name"="Semarang"] {(bbox})); relation["admin_level"="5"] ; / print results ut body; ; ut skel qt;</pre>	mitu Wetag + Semarang arang Sari - arang Sari - u m Purwokerso Wonorejo - u m Purwokerso Wonorejo	Export  Data  download/copy as GeoJSON download/copy as GPX download/copy as KML download/copy as raw OSM data raw data directly from Overpass API t <sup>a</sup> load data into an OSM editor: JOSM, Level0 t <sup>a</sup>	Pangguing Kidur Pengguing Kidur Pengdrikan Ridur Pengdrikan Ridur Po Seria an Lempongbari an Lempongbari an Lempongbari seria

GeoJSON format export option in Overpass Turbo

#### IV. Converting shapefile to GeoJSON using GeoData Converter

If you want to change your own shapefile data instead of OpenStreetMap data then you do not want or can not install QGIS on your laptop / computer, then you can use one of the sites on the internet that provides shapefile data to GeoJSON conversion functions such as GeoData Converter. To do the conversion on this site, please follow the steps below:

 Please open your internet browser then go to the link URL https://mygeodata.cloud/converter/shpto-geojson



The display of MyGeoData Converter site

• Add your shapefile data in the Upload box by clicking *Or browse file to convert* then select + Add Files..

Enjoy fast and easy to use online convert Upload your SHP File and Convert	Convert SHP	to GeolS
Upload your SHP File and Convert	Enjoy fast and easy to use	e online convert
Drag & Drop files here      Or browse files to convert      Or browse files to convert	Upload your SHP File and Convert	
Drag & Drop files here Upload your SH convert them b Or browse files to convert Notice to SHP files (and if ava		Convers
Notice to SHP files (and if ava	Drag & Drop files here	Upload your SH convert them b
	Or browse files to convert	Notice to SHP files (and if avail

The box to upload shapefile data

• You need to know when uploading shapefile data, do not forget to include all the associated files with your shapefiles such as .dbf and .shx files so that your shapefile data can be converted perfectly. So, make sure you have selected all the files like the example below:

	eres - seress - data bitas titla Sofial	53.			<ul> <li>O - searce pair and the letter (P)</li> </ul>				
ngaritie • New Yold					ii · 1 0				
	Matta	Date root feel	typie	Size .					
- Timbron d	Batso Kota Senseng cog	26/08/2014 0/20	CPG THE	1.602		The second s			Married Married
Bausianti d	📑 Batos Kata Semarang dar	35/08/2018/10/9	DeedProcess	1.00		APPENDER'S CONTRACTOR			A A A A A A A A A A A A A A A A A A A
a provenuent	🚺 Bates Kotis Sers witing py	20/10/2018 10:09	04016-041	1,002					
E focusion .	Dates Kote Serswang opj	25/10/2018 1078	1201010	1.02		Drag & Drop Files Anywhere He	ere or Add Files by Browse		
a fictures	Easter Kote Severarang sha	20(06/0408-024	DIFNe	205 1031					
Project; #	🗋 Balas Kata Servarangsite	3616/2018.009	3HX+3+	1.456		If your data contains any directory, please pack all the	THE STUCTURE TO ZIP, HOAR, 72, TAR OF GZIP TIST		
E Alles Di0 Ivkarta						Ane analasi are oposited, you can control ande			
Dokutiven Lipices						+ Add ties Select trum MyGeodata Drive			
E FOC						Construction of the second sec			
Scrembhoot Mor							(222) V		
ConeDrive						Batas_Kota_Somarang shx	108.9	TE ROTONO	
The DC							a1702		
1 20 Oherh						Batas_Kota_Semarang.stp	87.4 %9	II Flemove	
- Dekton									
Documenti						Batas_Kota_Semarang (p)	257.8	II Romovo	
a Downtrate								Contraction of the second s	
() Mar						Bates_Kota_Semarang prj	143.8	TH Homeson	
In Retune								Contraction of the	
B Michael						Balay Kota Semarant dbl	1001 19	Constanting of	
a management of a						Contraction of the second second		Bemove	
IT INTERNAL INC.									
and the state of t						Balas_Kola_Semarang.cpg	5.0	Bomove	
- HARRIEL								and the second se	
- HONG 02									
E de min	me Tatas sola Semarengara - Satas Kora :	serverang.cpg, Salas Koto	Planta and real of the	in Kota Serrarang pr	3a - Al 1983/7/				
					Open				
									17253331
									Close Core

The result of adding shapefile data into Geodata Converter site

• Then, click **Continue** and you will see a confirmation box for the shapefile data that you want to convert. Make sure the **Output Format** is GeoJSON then click **Convert Now!** 

		MyGeodata Converter	r			
1. Input Da	ita rert 9	2. Output Data Output Format	3. Conversion Layers Extent Overview Map			
Selected datasets count: 1 Dataset(s) volume: 88.6 kB		GeoJSON				
		Output parameters <i>Coordinate system:</i> (the same as input) Merge output files <b>O</b>	SEMARANG			
File name: Format: Characters encoding: Coordinate system:	Batas_Kota_Semarang ESRI Shapefile (shp) UTF-8 +proj=longlat +datum=WG584 +n o_defs					

The summary window before starting the conversion

• After that, click **Download** in the appeared window. The GeoJSON data result will be automatically downloaded to your laptop/computer.

Conversion Result
Your data were converted         • Output format: GeoJSON         • Output coordinate system: +proj=longlat +datum=WGS84 +no_defs         • Total files: 1         • Total size: 181.57 kB

Window to download GeoJSON conversion result

**SUMMARY** You have learned about spatial data with GeoJSON format and also know how to convert shapefile data to GeoJSON by using several tools such as QGIS, Overpass Turbo, and GeoData Converter. You can use all of these tools according to your needs and the availability of shapefile data that you have. Your GeoJSON data can be used as visualization on WebGIS or sites that can display spatial data such as Mapbox, Leaflets, HOT Export and Tasking Manager.